Statement of Work (SOW) for the Rebuild of the AN/TPS-63B Compressor/Dehydrator NSN 4440-01-092-5718

- 1.0 <u>SCOPE</u>. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor to rebuild the AN/TPS-63B Compressor/Dehydrator, NSN 4440-01-092-5718, part number 359D322H02, CAGE 97942, hereafter referred to as the Compressor/Dehydrator. This document contains requirements to restore the Compressor/Dehydrator to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining".
- 1.1 <u>Background</u>. Rebuild is defined as "that maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repair or replacement of worn or unserviceable parts/elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the item".
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplements thereto which are in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

2.1 Military Standards

MIL-STD-2073-1D(1)

DoD Standard Practice for Military Packaging

MIL-STD-129

DoD Standard Practice: Military Marking for

Shipment and Storage

2.2 Other Government Documents and Publications

DoD 4000.25-1-M

Military Standard Requisitioning and Issue

Procedures (MILSTRIP)

Engineering Drawing 359D322, CAGE 97942

Compressor/Dehydrator

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Q9001-2000 Quality Management Systems-Requirements

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DoD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179, or on the Internet at http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Command, Albany, Georgia 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center, Attn: Code 566-1A, 814 Radford Blvd., STE 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

3.0 REQUIREMENTS

3.1 The Contractor shall rebuild the Compressor/Dehydrator strictly in accordance with the requirements as specified in Engineering Drawing 359D322, CAGE 97942. Additionally, the Contractor shall be responsible for developing a test requirements plan and documenting the test results in a Test Data Report (TDR). The Contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to rebuild the equipment in accordance with this SOW.

3.2 Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 The Contractor shall be responsible for preservation and packaging of item(s) being rebuilt under the terms of this SOW. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the Level "A" requirements of MIL-STD-2073-1D(1), Method 10. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with Level "B" requirements.

NOTE: Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use will be identified in writing by the Logistics Management Specialist (LMS), Marine Corps Systems

Command (MCSC), Battlespace Management and Air Defense Systems (BMADS), Albany, Georgia 31704-0343.

- 3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the rebuilt equipment. The Contractor shall be responsible for arranging for shipment to the predesignated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The Contractor shall apply configuration control procedures to established configuration items. The Contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal (ECP). If it is necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request for Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA) (Code 581-1B) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to Materiel and Distribution Management Department, Distribution Management Branch, Management Control Activity (Code 581-1B), 814 Radford Blvd., STE 20320, Albany, Georgia 31704-0320 or by faxing a copy to commercial telephone number 229-639-5498 or DSN 567-5498. If Depot Source of Repair (DSOR) mandated, assets at repair facility will not be considered GFE/GFM.
- 3.5 <u>Contractor Furnished Materiel (CFM)</u>. The Contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11, provides guidance to Contractors on the requisitioning process. The Contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.
- 3.6 <u>Quality Assurance Provisions</u>. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems Requirements.
- 4.0<u>REPORTS</u>. The Contractor shall develop a Test Data Report (TDR), in Contractor format, based on test requirements developed by the Contractor (in accordance with this SOW), which references this SOW, the NSN, part number, and serial number of the Compressor/Dehydrator and all sub-assemblies. Upon request, the Contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the Logistics Management Specialist

(LMS), MCSC (BMADS). Electronic address is: SMBlogcombmads@logcom.usmc.mil. Mailing address is Commanding General, Marine Corps Systems Command, Attn: Logistics Management Specialist, BMADS, 814 Radford Blvd., STE 20343, Albany, Georgia 31704-0343. The LMS can be reached at commercial telephone number (229) 639-7618 or DSN 567-7618. Facsimiles may be sent to commercial telephone number (229) 639-6545 or DSN 567-6545, Attn: Logistics Management Specialist, BMADS.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data soulces, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the

Valid Olvid Control III		,			-	to the covernment localing o			107 1110	. 1
A. CONTRACT I	LINE ITEM NO.	B. EXHIBIT C. CATEGORY: TDP TM OTHER							- 1	i
			T	TDP TN						
D. SYSTEM/ITE		DC 62D	E. CONTRACT	/PR NO.	F. CON	TRACTOR				
•	Dehydrator, AN/T									
1. DATA ITEM NO.	2. TITLE OF DATA ITEN	1			3. SUBTIT	LE				17. PRICE GROU
4.001		C1		(ECD)		Configuration		nt.		i
A001			nange Proposal			Configuration Mar	iageme			
	Acquisition Document No	p. <i>)</i>	5. CONTRACT REF			6. REQUIRING OFFICE	(5 (0)			18. ESTIMATED
	CMAN-80639C			SOW 3.3		MCLCA (566)				il
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQU		12. DATE OF FIRST SUE	16	14. DISTRIB	UTION			
LT			ASREQ	See Blk 1			b. COPIES			
8. APP CODE		11. AS OF	DATE	13. DATE OF SUBSEQUI	ENT	a. ADDRESSEE	Draft	Fi	nal	
Α	A			N/A			Dian	Reg	Repro	
16. REMARKS						MCLCA (566-1)	0	1	0	
Block 4: ECPs	shall be submitte (.doc) or ADOBE	d electro	nically. Contra	actor format using	_					
MICROSOFT	(.doc) or ADOBE	E (.pdf) s	oftware applic	ations is authorize	d.					I
Blocks 10 & 12	2: ECPs shall be s	submitted	for all propos	ed changes which						
permanently at	2: ECPs shall be siffect the baseline of	of a confi	guration item.	<u></u>						
ECPs will be r	eviewed and dispo	osition de	etermined with	in 20 working day	s upon					
receipt by the	government.									
ECPs shall be	transmitted via e-	mail to th	ne following ac	ldress:						
mbmatcomcon	transmitted via e- figmngmnt@logco	om.usmc	.mil.							
						, , , , , , , , , , , , , , , , , , , ,				1
Distribution St	atement A: Appro	oved for	Public Release	; Distribution is						
Unlimited.	11			,		AAAMAAAAA				1
						***************************************			·	
							-			
									\vdash	
							-			
							-			Į Į
							-		-	
									\vdash	
							-			
										[]
										<u> </u>
						PAR 6 N 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ļ			
										[]
									-	[]
									\sqcup	
i										[]
										1!
										H
										Į.
							-			
						15. TOTAL	0	1	0	
G. PREPARED B	BY		H. DATE	I. APPROVE	D BY		J. DA			
0	. /				1			,	,	
You L.	1.5	The second secon	8/10/0	04 Kielas	# 5	anai/	8/	17/2	4	
DD FORM 1	423-1, AUG 96	(EC)		OUS EDITION MAY	BE HEEV	D	70	of	Pagas	, I
DD FORM 14	+∠3-1, AUG 96	(EG)	PREVIO	JUS EDITION MAY		. Pag	ge	of	Pages	

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the

E. CONTRACT/PR NO. F. CONTRACTOR	A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY:									
Request For Deviation (RFD) Configuration Management	D. SYSTEM/ITEM		E. CONTRAC							į
REQUESTED TO Peviation (RFD) Configuration Management BITY (Date Acquisition Document No.) DI-CMAN-80640C SOW 3.3 A SEEQ See Bix 16 A SEEQ 12. DATE OF FIRST SUBMISSION REQUESTED TO A SEEQ 13. DATE SEED SEED TO A SET SUBMISSION REQUESTED TO A SEEQ 13. DATE SEED SEED TO A SET SUBMISSION REQUESTED TO A										<u> </u>
B. CONTRACT REFERENCE S. CONTRACT REFERENCE SOW 3.3	. DATA ITEM NO. 2. TITLE OF	DATA ITEM			3. SUBTIT	LE				17.
DI-CMAN-80640C SOW 3.3 MCLCA (566) 10. DEST STATEMBRY 10. FREQUENCY 12. DATE OF HIST SUBMISSION ASREQ 13. DATE OF SUBSEQUENT SUBMISSION N/A RES 1. RFDs shall be submitted electronically. Contractor format using SOFT (.doc) or ADOBE (.pdf) software applications is authorized. 10. & 12. RFDs shall be submitted to obtain authorization to deliver forming material which does not meet the prescribed configuration intalion. will be reviewed and disposition determined within 20 working days upon by the government. shall be transmitted via e-mail to the following address: union Statement A: Approved for Public Release; Distribution is etcd.	A002	-	For Deviation (R	Configuration Management						
REQ DET STATEMENT REQUIRED 11. AS OF DATE 12. DATE OF FIRST SUBMISSION SCE BIK 16 11. AS OF DATE 13. DATE SUBMISSION N/A 14. DATE 15. DATE OF FIRST SUBMISSION N/A 15. DATE OF SUBSTQUENT SUBMISSION N/A 16. DOI: Print					•					18.
A SREQ See Blk 16 11. AS OF DATE 13. DATE 07 SUBMISSIONEY A 12. REPDS shall be submitted electronically. Contractor forming material which does not meet the prescribed configuration of will be reviewed and disposition determined within 20 working days upon by the government. 13. Bath of Submission determined within 20 working days upon by the government. 14. A Provided for Public Release; Distribution is each of the provided of the provide			QUENCY							
A SUBMISSION N/A DEPART OF SUBMISSION N/A SUBMISSIO						14. Distric				
A N/A Nes SRED Shall be submitted electronically. Contractor format using SOFT (.doc) or ADOBE (.pdf) software applications is authorized. 10 & 12 RFDs shall be submitted to obtain authorization to deliver forming material which does not meet the prescribed configuration matation. will be reviewed and disposition determined within 20 working days upon by the government. shall be transmitted via e-mail to the following address: comconfigmngmnt@logcom.usmc.mil. ution Statement A: Approved for Public Release; Distribution is red. H. DATE 15. TOTAL 0 1 0 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 1	B. APP CODE	11. AS	OF DATE	13. DATE OF SUBSEQUENT		a. ADDRESSEE	Dest			
ExPDs shall be submitted electronically. Contractor format using DSOFT (doc) or ADOBE (.pdf) software applications is authorized. 10 & 12. RFDs shall be submitted to obtain authorization to deliver forming material which does not meet the prescribed configuration minimum. will be reviewed and disposition determined within 20 working days upon by the government. whall be transmitted via e-mail to the following address: comeonfigmngmnt@logcom.usme.mil. aution Statement A: Approved for Public Release; Distribution is ted. H. DATE LAPPROVED BY J. DATE							Draft	Reg	Repro	li
10 & 12: RFDs shall be submitted to obtain authorization to deliver forming material which does not meet the prescribed configuration material which does not meet the prescribed configuratio	G. REMARKS Block 4: RFDs shall be s MICROSOFT (.doc) or	submitted elec ADOBE (.pdf	ronically. Control software applications	ractor format using	d.	MCLCA (566-1)	0	1	0	
will be reviewed and disposition determined within 20 working days upon by the government. shall be transmitted via e-mail to the following address: comeonfigmngmmt@logcom.usmc.mil. ution Statement A: Approved for Public Release; Distribution is ted. ted. 15. TOTAL		_								
shall be transmitted via e-mail to the following address: comeonfigmngmnt@logcom.usmc.mil. ution Statement A: Approved for Public Release; Distribution is ted. ted. H. DATE 1. APPROVED BY J. DATE										
eution Statement A: Approved for Public Release; Distribution is led. Distribution Distribu							-			
PARED BY H. DATE I. APPROVED BY J. DATE	nomatcomconfigungum	u@iogcom.usi	nc.mii.							
PARED BY H. DATE I. APPROVED BY J. DATE										į
PARED BY H. DATE I. APPROVED BY J. DATE J. DATE	Distribution Statement A	: Approved fo	r Public Release	e; Distribution is						
PARED BY J. DATE J. APPROVED BY J. DATE	Unlimited.									
PARED BY J. DATE J. APPROVED BY J. DATE										
PARED BY J. DATE J. APPROVED BY J. DATE										
PARED BY J. DATE J. APPROVED BY J. DATE										
PARED BY J. DATE J. APPROVED BY J. DATE										
PARED BY J. DATE J. APPROVED BY J. DATE										İ
PARED BY J. DATE J. APPROVED BY J. DATE										
PARED BY J. DATE J. APPROVED BY J. DATE										
PARED BY J. DATE J. APPROVED BY J. DATE										
PARED BY J. DATE J. APPROVED BY J. DATE										
PARED BY J. DATE J. APPROVED BY J. DATE							-		+-	
PARED BY J. DATE J. APPROVED BY J. DATE										
PARED BY J. DATE J. APPROVED BY J. DATE										
PARED BY J. DATE J. APPROVED BY J. DATE										
PARED BY J. DATE J. APPROVED BY J. DATE										
PARED BY J. DATE J. APPROVED BY J. DATE										
PARED BY J. DATE J. APPROVED BY J. DATE						4F TOTAL		1		[
	G. PREPARED BY	101	H. DATE	I. APPROVE	D BY	Onne de la		TE	' 	